

Sales Presentation v1.0



MUTTOH Smart Printing Equals Value





24" Eco-Ultra Printer with White and Metallic ink

part number: VJ-628X

For the signage market.

	La h	
www.mu	lon.	.com

MUTTOH Smart Printing Equals Value



Features



The ValueJet 628X \$6,995 MSRP

Small footprint

The VJ 628X is small in size so it fits easily onto a table or optional stand, perfect for any print shop.

Versatile

Eight ink slots, using 4, 6 or 8 colors (CMYK x 2) (CMYK + Lc Lm) (CMYK Lc Lm W Mt).

Ease of use

Includes features such as the automatic sheet off function, Drop Master Technology and Intelligent Interweave print technique to make operation simple. Plus, the VJ 628X comes standard with Mutoh's VJ Total Install CD including Windows print driver, making installation simple.

Reliable

Includes a one year limited on-site warranty.

Affordable

Priced at only \$6,995.



Smart Printing



• ValueJet Status Monitor (VSM) & VSM Mobile Support

ValueJet Status Monitor helps monitor process control while VSM mobile allows you to monitor your printer settings from your smart phone. Check ink, heater and media settings remotely.

Drop Master Print Technology

A revolutionary print automation technique which eliminates the need for cumbersome and time consuming media dependent head adjustments

• Intelligent Interweave (i²) print technique

Virtually eliminate banding with Mutoh's wave printing technique.

• Virtual Storefront (VSF)

Put the power of the web to work for you by integrating custom ecommerce to your existing site with full accounting, logistics and personalization capabilities.

Mutoh Financial Services

Create a customized plan to fit your printer purchasing needs.





	M	U	Γ	H	
mart	Prir	iting	l Ed	uals	Val



Specs



- Print method: Drop-on demand piezo
- # of nozzles: 180 nozzles x 8 rows
- # of heads: 1
- Ink type: Eco-Ultra
- Variable dot: Yes
- Min droplet size: 3.5 pl
- Print modes: 1440/1080/720/540/360 dpi, 30 modes
- Color options: CMYK x 2, CMYK + Lc Lm, Operating humidity: 40 60% CMYK Lc Lm W Mt
- Max print speed: 433 sqft/hr, 360 x 360 dpi
- Max resolution: 1440 dpi

- Max roll diameter / core : 6"max/ 3" or 2"
- Max media width: 24.8 inches
- Max print width: 24.4 inches
- Stand: Optional
- Take-up: Optional
- RIP software: Mutoh edition FlexiPrint SE
- Power requirements: 100-120V
- Operating temp: 68° 89.6° F
- - Dimensions WxDxH: 47 x 17 x 14"
 - Dimensions (stand): 47 x 23 x 46"
 - Printer weight: 70 lbs.
 - Stand weight: 19 lbs.
 - Limited warranty: One year on-site



Applications



SIGN & GRAPHIC MARKET

- Directional signage
- Stickers
- Window graphics
- Indoor / outdoor signage

SPECIALTY MARKET

- T-shirts
- Decals
- Custom
- Labels





MUTTOH Smart Printing Equals Value

www.mutoh.com



Advantages



Less space

- Small footprint.
- Optional stand, eliminating table space.

Increased productivity and output

- Higher speeds than competitors.
- Print then cut with the ValueCut 600, doesn't interrupt your workflow.
- Optional take-up.

Versatile

- Eight color capability including white and metallic for enhanced color capability and increased applications.

Easy-to-use

- Automatic sheet off function.
- VJ Total Install CD for simple installation with Windows print driver.

Price

- Low price point at \$6,995 – significantly lower than the competition.

ww	\ \ /	\mathbf{m}	to	n (\sim	m
~~~~	VV . I		ιU		JUJ	



Spec

## The ValueJet 628X \$6,995 MSRP

Competitors SPECS





Roland BN-20

Max Media Width	24.8 inches	20.2 inches
Max Print Width	24.4 inches	18.8 inches
Speed	Up to 433 sqft/hr	8 - 11 sqft/hr
Number of Slots	8	5
Number of Colors	CMYK x 2 / CMYK, Lc, Lm / CMYK Lc Lm W Mt	CMYK, W, Mt
MSRP	<b>RP</b> \$6,995 \$8,495	
Warranty	1 year on-site limited 1 year trouble free	

www.mutoh.com	МИТОН	1.800.99.MUTOH
	Smart Printing Equals Value	1.000.00.001

Product specifications are subject to change.

April 2015

Mutoh America, Inc. Marketing Department 2602 South 27th Street Phoenix, AZ 85034

> www.mutoh.com 1.900.99.MUTOH



www.mutoh.com

**MUTTOH** Smart Printing Equals Value